

# DO NOT USE: Dangerous Abbreviations, Symbols, Dose Designations

UNACCEPTABLE ABBREVIATION/ SYMBOL/DOSE EXPRESSION	INTENDED MEANING	MISINTERPRETATION	RECOMMENDATION
QD, qd, OD, od	Every day	Mistaken as qid or right eye	Write out "daily"
QOD, qod, eod	Every other day	Mistaken for QD or QID	Write out "every other day"
U, u, iu, IU	Units or international units	Next to a number, a U can look like a 0, resulting in a tenfold increase in dose	Write out "units"
.x	Leading decimal point	Decimal point can be missed, resulting in a tenfold increase in dose	Always use a leading zero (eg. <b>0.x mg</b> )
x.0	Trailing zero	Decimal point can be missed, resulting in a tenfold increase in dose	Do not use a trailing zero (eg. <b>x mg</b> )
SL	Sublingual	Misunderstood for SC	Write out "sublingual"
SC, SQ or sub q	Subcutaneous	Misunderstood for SL	Use "subcut" or "subcutaneous"
AU, AS, AD	Both ears, left ear, right ear	Mistaken for OU, OS or OD	Write out full meaning
OU, OS, OD	Both eyes, left eye, right eye	Mistaken for AU, AS, AD or once daily	Write out full meaning
Abbreviated drug names* (Eg. AZT, CPZ, HCTZ, MSO4)		May be mistaken for other drugs	Write out drug name in full
ug, µg	Microgram	Mistaken for mg	Write out "microgram" or "mcg"
D/C	Discharge	Misunderstood for "discontinue"	Write out "discharge"
cc	cubic centimetre	Mistaken for "u" (units)	Use mL or "millilitre"
@	at	Mistaken for "2" (two) or "5" (five)	Write out "at"
>	Greater than	Mistaken for "7" (seven) or the letter "L"	Write out "greater than"/"more than"
<	Less than	Confused with each other	or "less than"/"lower than"

\*Common abbreviations for elements are acceptable if clearly written (Eg. K, Na, Cl, Zn, Mg, Fe, Ca)

Southern Health-Santé Sud Reference # **CLI.6010.PL.011.SD.01**

January 24 2019



Winnipeg Regional Health Authority  
Office régional de la santé de Winnipeg  
Caring for Health À l'écoute de notre santé

