



PATIENT ASSESSMENT FLOWSHEET

DATE:		NIGHT:		DAYS:		EVENING:			NIGHT:	DAYS:	EVENING:		
CNS	LOC/Orientation							PSYCH-SOC	Mood/Motivation Cooperation				
	Pain Scale (0 – 10)	0200	0600	1000	1400	1800	2200		Family/Friends/Visitors Participation in care				
RESPIRATORY	Chest sounds (A/E, Adventitia)							SKIN	Pressure Relieving Devices				
	Sputum (describe)								Turning/Positioning				
	DB & C								Skin Integrity				
	Spirometry							WOUNDS	Site #1				
	Suction								Appearance/ Dressing				
CARDIOVASCULAR	CWCM							WOUNDS	Site #2				
	Edema: Location/Amount								Appearance/ Dressing				
	Peripheral Pulses								See <i>Wound Assessment and Treatment Flow sheet</i>				
	Mech. VTE Prophylaxis							DRAINAGE TUBES	Site #1				
	Telemetry								Drainage/ Appearance				
INTRAVENOUS	Site #1							DRAINAGE TUBES	Site #2				
	Patency								Drainage/ Appearance				
	Site Status								HYGIENE	Self/Assist/Complete			
	Site #2							Basin/Tub/Shower					
	Patency							Oral Care					
	Site Status							Peri/foley care					
See <i>CVAD Flow Sheet</i>													
GASTROINTESTINAL	Diet (indicate if NPO)							SAFETY	Monitoring				
	Method: PO/NG /J-Peg; Self; Assist; Feed								Call bell/Side Rails				
	Amount Eaten: 25%, 50%, 75%, All, None			Brft			Supper		SAFETY	Alerts (e.g. wander guards/tab alarms)			
				Lunch			Snack			Restraints			
	Abdomen: Soft/Firm/Distended							MOBILITY & ADLS	Transfer/Mobility:				
	Bowel Sounds								Mobility Aids				
	Nausea/Vomiting								Exercise / Distance Walked				
Bowel Movements							Rest/Sleep						
G-U	Voiding/Catheter/ Other							Dressing: Self/Assist/Complete					
	Urine: Color; Odor; Continence												
Staff Initials								Staff Initials					

Legend: IPN=Integrated Progress Notes; CNS=Central nervous System; LOC=Level of consciousness; A&Ox3 = Alert & oriented to person, place & time; A/E=air entry; DB&C=Deep breathing & coughing; CWCM=Colour, Warmth, Capillary refill, Movement; VTE=Venous thromboembolism; CVAD=Central Venous Access Device; NPO=Nothing by mouth; PO=By mouth; NG=nasogastric; J-PEG=jejunal-percutaneous endoscopic gastrostomy; Bkft=Breakfast; LUQ=Left upper quadrant; LLQ=Left lower quadrant; RUQ=Right upper quadrant; RLQ=Right lower quadrant; Bil.=Bilaterally; Lt=left; Rt=right; ACF=antecubital fossa; Amt=amount; N/A=not applicable; G-U=Genito-Urinary; qs=quantity sufficient; WC = Wheel chair; PSYCH-SOC = Psychological-social; Abd=abdomen

PATIENT ASSESSMENT FLOWSHEET

DATE:		NIGHT:		DAYS:		EVENING:			NIGHT:	DAYS:	EVENING:		
CNS	LOC/Orientation							PSYCH-SOC	Mood/Motivation Cooperation				
	Pain Scale (0 – 10)	0200	0600	1000	1400	1800	2200		Family/Friends/Visitors Participation in care				
RESPIRATORY	Chest sounds (A/E, Adventitia)							SKIN	Pressure Relieving Devices				
	Sputum (describe)								Turning/Positioning				
	DB & C								Skin Integrity				
	Spirometry							WOUNDS	Site #1				
	Suction								Appearance/ Dressing				
CARDIOVASCULAR	CWCM							WOUNDS	Site #2				
	Edema: Location/Amount								Appearance/ Dressing				
	Peripheral Pulses								See <i>Wound Assessment and Treatment Flow sheet</i>				
	Mech. VTE Prophylaxis							DRAINAGE TUBES	Site #1				
	Telemetry								Drainage/ Appearance				
INTRAVENOUS	Site #1							DRAINAGE TUBES	Site #2				
	Patency								Drainage/ Appearance				
	Site Status								HYGIENE	Self/Assist/Complete			
	Site #2							Basin/Tub/Shower					
	Patency							Oral Care					
	Site Status							HYGIENE	Peri/foley care				
See <i>CVAD Flow Sheet</i>													
GASTROINTESTINAL	Diet (indicate if NPO)							SAFETY	Monitoring				
	Method: PO/NG /J-Peg; Self; Assist; Feed								Call bell/Side Rails				
	Amount Eaten: 25%, 50%, 75%, All, None			Brft			Supper		SAFETY	Alerts (e.g. wander guards/tab alarms)			
				Lunch			Snack			Restraints			
	Abdomen: Soft/Firm/Distended							MOBILITY & ADLS	Transfer/Mobility:				
	Bowel Sounds								Mobility Aids				
	Nausea/Vomiting								Exercise / Distance Walked				
Bowel Movements							MOBILITY & ADLS	Rest/Sleep					
								Dressing: Self/Assist/Complete					
G-U	Voiding/Catheter/ Other												
	Urine: Color; Odor; Continence												
Staff Initials								Staff Initials					

Legend: IPN=Integrated Progress Notes; CNS=Central nervous System; LOC=Level of consciousness; A&Ox3 = Alert & oriented to person, place & time; A/E=air entry; DB&C=Deep breathing & coughing; CWCM=Colour, Warmth, Capillary refill, Movement; VTE=Venous thromboembolism; CVAD=Central Venous Access Device; NPO=Nothing by mouth; PO=By mouth; NG=nasogastric; J-PEG=jejunal-percutaneous endoscopic gastrostomy; Bkft=Breakfast; LUQ=Left upper quadrant; LLQ=Left lower quadrant; RUQ=Right upper quadrant; RLQ=Right lower quadrant; Bil.=Bilaterally; Lt=left; Rt=right; ACF=antecubital fossa; Amt=amount; N/A=not applicable; G-U=Genito-Urinary; qs=quantity sufficient; WC = Wheel chair; PSYCH-SOC = Psychological-social; Abd=abdomen